

Dependable Service and Precision Custom Quality Fabrication.

When ordering an enclosure, we feel that your choices should not be limited.


New-Com Metal Products has excelled in providing a superior line of precision custom and standard NEMA, UL & CUL enclosures to the electronic, communication, control industries and electrical contractors.

Our knowledgeable staff will assist you in selecting, designing or modifying an enclosure to fit your individual application.

Each enclosure is made to order directly from your specifications. This flexibility enables us to add detailing at the manufacturing level, eliminating the need for aftermarket reworking.

Our Mission is 100% customer satisfaction.

New-Com Metal Products is committed to providing you a superior customized product with the highest levels of service and reliability. During the entire process, we are working with you to deliver a product that is on-time, within budget and of the utmost quality.



Enclosure Type and General Description

Type 1 General Purpose Indoor Enclosures

Type 1 enclosures are intended for use indoors, primarily to prevent accidental contact of personnel with the enclosed equipment, in areas where unusual service conditions do not exist. New-Com's NEMA 1's are described in series N1. New-Com's enclosures of any other NEMA type also meet NEMA Type 1.

Type 3R Dust-Tight, Rain-Tight and Sleet Resistant Outdoor

Type 3R enclosures are intended for use outdoors to protect the enclosed equipment against wind-blown dust and water. They are not sleet-proof (ice-proof). They shall have conduit hubs or equivalent provisions for watertight connections at the conduit entrance, and provisions for locking. Ordering a Series N12 (NEMA 12) and Series N4 (NEMA 4) with the addition of a Series DS (Drip shield) will meet Type 3R requirements.

Type 4 Water-Tight, Dust-Tight – Indoor and Outdoor

Type 4 enclosures are intended for use indoors or outdoors to protect the enclosed equipment against splashing water, seepage of water, falling or hose-directed water and severe external condensation. They are sleet-resistant but not sleet-proof (ice-proof).

Type 4X Water-Tight, Dust-Tight and Corrosion Resistant – Indoor and Outdoor

Type 4X enclosures have the same provisions as Type 4 enclosures. In addition they are corrosion resistant.

Type 12 Industrial Use Dust-Tight and Drip-Tight Indoor

Type 12 enclosures are intended for use indoors or outdoors to protect the enclosed equipment against fibers and flying lint, dust and dirt and light splashing, seepage, dripping and external condensation of corrosive liquids. Doors shall be provided with oil-resistant gasket.

Wall-Mount Enclosures



Screw Covers
NEMA 1, 1G
Steel, Galvanized

Page # 1 + 2




Screw Covers
NEMA 3R
Galvanized, Stainless
& Aluminum

Page # 3 + 4




Screw Covers
NEMA 4X
Stainless & Aluminum

Page # 5 + 6




Screw Cover Wireways
NEMA 1, 1G, 3R, 4X
Steel, Galvanized
Stainless & Aluminum

Page # 7 - 11



Single Door Hinge Cover
NEMA 1
Steel, Galvanized
Stainless & Aluminum

Page # 12 + 13



Single Door Hinge Cover
JIC 12
Steel, Stainless
& Aluminum

Page # 14 + 15




Single Door Hinge Cover
JIC 4 & 4X
Steel, Stainless
& Aluminum

Page # 16 + 17




Single Door Hinge Cover
Streamline
Steel, Stainless
& Aluminum

Page # 18 + 19




Single Door Hinge Cover
NEMA 12
Steel

Page # 20 + 21




Single Door Hinge Cover
NEMA 4 & 4X
Steel, Stainless
& Aluminum

Page # 22 + 23



Double Door Hinge Cover
Wall Mount
NEMA 12
Steel, Stainless
& Aluminum

Page # 24 + 25



Double Door Hinge Cover
Wall Mount
NEMA 4 & 4X
Steel, Stainless
& Aluminum

Page # 26 + 27

Sub Panels available in steel- painted white, .125 aluminum or 3/4 thick plywood


Stainless Steel is available in Type 304 & Type 316

NEW
COM METAL PRODUCTS CORP.

www.newcommetal.com



Free-Standing Enclosures



**Hinge Type Public Works
Single Door**
NEMA 3R & 4X
Aluminum, Stainless Steel,
Steel & Galvanized
Page # 28 + 29



**Hinge Type Public Works
Double Door**
NEMA 3R & 4X
Aluminum, Stainless Steel,
Steel & Galvanized
Page # 30 + 31



Single Door Single Access
NEMA 12
Steel, Stainless
& Aluminum
Page # 32 + 33



Single Door Dual Access
NEMA 12
Steel, Stainless
& Aluminum
Page # 34 + 35



Double Door Single Access
NEMA 12
Steel, Stainless
& Aluminum
Page # 36 + 37



Double Door Dual Access
NEMA 12
Steel, Stainless
& Aluminum
Page # 38 + 39



**Double Door Single Access
with Floor Stands**
NEMA 12
Steel, Stainless
& Aluminum
Page # 40 + 41



Single Door Single Access
NEMA 4 & 4X
Steel, Stainless
& Aluminum
Page # 42 + 43



Double Door Single Access
NEMA 4 & 4X
Steel, Stainless
& Aluminum
Page # 44 + 45



Single Door Dual Access
NEMA 4 & 4X
Steel, Stainless
& Aluminum
Page # 46 + 47



Double Door Dual Access
NEMA 4 & 4X
Steel, Stainless
& Aluminum
Page # 48 + 49



**Double Door Single Access
with Floor Stands**
NEMA 4 & 4X
Steel, Stainless
& Aluminum
Page # 50 + 51

Sub Panels available in steel- painted white, .125 aluminum or ¾ thick plywood

Stainless Steel is available in Type 304 & Type 316

• **Accessories – Pages: # 52 - 54**

• **Facilities List – Page: # 55**

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com




Screw Cover Junction Boxes - Gauge Chart

Gauge	Height	Width	Depth						
			4	6	8	10	12	14	16
Code 16 Gauge	6	6							
	8	6							
	12	6							
	8	8							
	10	8							
	12	8							
	9	9							
	12	9							
	10	10							
	12	10							
	15	10							
	18	10							
	12	12							
	15	12							
	18	12							
	24	12							
	15	15							
	18	15							
	24	15							
	18	18							
Code 14 Gauge	30	12							
	36	12							
	30	15							
	36	15							
	21	18							
	24	18							
	30	18							
	36	18							
	40	18							
	24	24							
	30	24							
	36	24							
	40	24							
	30	30							
Code 12 Gauge	44	24							
	48	24							
	36	30							
	42	30							
	48	30							
	36	36							
Code 10 Gauge	54	30							
	60	30							
	66	30							
	72	30							
	60	36							
	66	36							
	72	36							
	84	36							
	42	42							
	48	42							
	54	42							
	60	42							
	66	42							
	72	42							
	84	42							
	90	42							
	96	42							
	48	48							
	54	48							
	60	48							
	66	48							
	72	48							
	84	48							
	96	48							
	60	60							
	72	60							
	84	60							
	96	60							

Screw Cover

SERIES - NSC-1 & NSC-1G - Meets NEMA Type 1 **Steel or Galvanized**



Construction

(Series NSC-1, NSC-1G)

NEMA 1 Construction

- 16, 14, 12 or 10 gauge material per code
- (3) piece construction, formed and welded
- Flat removable cover, stainless screws
- Supplied with approved hardware
- Optional ground studs and panels

Finish

Steel enclosures are painted Gray ANSI-61.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

Screw Cover


SERIES - NSC-1

H x W x D (Painted Gray)

SERIES - NSC-1G

H x W x D (Galvanized)

Meets NEMA Type 1



SECTION X-X
(with cover removed)

"QTY"	"H"	"W"	"D"	SERIES
				NSC-1 NSC-1G



Directions for ordering:

1. Copy or scan page.
2. Fill in details: QTY, "H", "W" & "D"
3. Circle SERIES "NSC-1" or "NSC-1G"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

Screw Cover

SERIES - NSC-3R - Meets NEMA Type 3R **Galvanized, Stainless Steel or Aluminum**



Construction

(Series NSC-3R)

NEMA 3R Construction

- 16, 14, 12 or 10 gauge material per code
- (3) piece construction, formed and welded
- Flat removable cover, stainless screws
- Supplied with approved hardware
- Optional ground studs and panels

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.



Industry Standards

Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

Screw Cover

SERIES - NSC-3R
Meets NEMA Type 3R

H x W x D



SECTION X-X
(with cover removed)

"QTY"	"H"	"W"	"D"	SERIES
				NSC-3R



Directions for ordering:


1. Copy or scan page.
2. Fill in details: QTY, "H", "W" & "D"
3. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Screw Cover

SERIES - NSC-4X - Meets NEMA Type 4X **Stainless Steel & Aluminum**



Construction

(Series NSC-4X)

NEMA 4X Construction

- 16, 14, 12 or 10 gauge material per code
- (3) piece construction, formed and welded
- Removable cover, stainless screws
- Flush cover (1)" return bend* (4) sides
- Supplied with approved hardware
- Optional ground studs and panels

Finish

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards


Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

Screw Cover

SERIES - NSC-4X
Meets NEMA Type 4X

H x W x D



"QTY"	"H"	"W"	"D"	SERIES
				NSC-4X



Directions for ordering:

1. Copy or scan page.
2. Fill in details: QTY, "H", "W" & "D"
3. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**


www.newcommetal.com

Screw Cover Wireway

SERIES - NSC-1 / NSC-1G / NSC-3R / NSC-4X

Meets NEMA Type 1, 3R & 4X

Steel, Galvanized, Stainless Steel, or Aluminum



Construction

(Series NSC-1, NSC-1G, NSC-3R, NSC-4X)

NEMA 4X Construction

- 18, 16 or 14 gauge material per code
- (3) piece construction, formed and welded
- Flat & flanged removable cover, S/S & plated screws
- Mounting tabs (Type 4X only)
- Water resistant gasket (Type 3R & 4X)
- Supplied with approved hardware

Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

Screw Cover Wireway




SERIES - NSC-1

H x W x D (Painted Gray)


SERIES - NSC-1G

H x W x D (Galvanized)

Meets NEMA Type 1



SCREWS 12" ON CENTER



SECTION X-X

"QTY"	"L"	"W"	"D"	SERIES
				NSC-1
				NSC-1G



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "L", "W" & "D"
3. Select SERIES "NSC-1" or "NSC-1G"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com




**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Screw Cover Wireway

SERIES - NSC-3R
Meets NEMA Type 3R

H x W x D (Galvanized)



**GASKETED
4 SIDES**



SECTION X-X

"QTY"	"L"	"W"	"D"	SERIES
				NSC-3R



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "L", "W" & "D"
3. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com


**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Screw Cover Wireway

SERIES - NSC-4X
Meets NEMA Type 4X

H x W x D (Stainless Steel & Aluminum)



"QTY"	"L"	"W"	"D"	SERIES
				NSC-4X



Directions for ordering:

1. Copy or scan page.
2. Fill in details: QTY, "L", "W" & "D"
3. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**







www.newcommetal.com

Screw Cover Wireway

SERIES - NSC-1 / NSC-1G / NSC-3R / NSC-4X

Meets NEMA Type 1, 3R & 4X

Accessories



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "W" & "D"
3. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com


**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

NOTES

Hinge Cover

SERIES - NHC-1 - Meets NEMA Type 1 **Steel, Stainless Steel, Galvanized or Aluminum**



Construction

(Series NHC-1)

NEMA 1 Construction

- 16, 14 or 12 gauge material per code
- (3) piece construction, formed and welded
- Hinge cover with latch and plated screws
- Mounting holes for simple installation

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.


Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

Hinge Cover

SERIES - NHC-1

H x W x D

Meets NEMA Type 1



"QTY"	"H"	"W"	"D"	SERIES	PANEL
				NHC-1	YES
					NO



Directions for ordering:


1. Copy or scan page.
2. Fill in details: QTY, "H", "W" & "D"
3. Circle "Panel" YES / NO
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

JIC Style Hinge Cover

SERIES – NJ12H - Meets NEMA Type 12
Steel, Stainless Steel or Aluminum



Construction

(Series NJ12H)

NEMA 12 Construction

- 16 or 14 gauge material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, S/S and plated hardware
- Mounting tabs
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**


www.newcommetal.com

JIC Style Hinge Cover

SERIES - NJ12H

H x W x D

Meets NEMA Type 12



Directions for ordering:


1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "YES" / "NO"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

JIC Style Hinge Cover

SERIES – NJ4H / NJ4XH - Meets NEMA Type 4 & 4X
Steel, Stainless Steel or Aluminum



Construction

(Series NJ4H, NJ4XH)
NEMA 4 Construction

- 16 or 14 gauge material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, S/S and plated hardware
- Mounting tabs
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.
Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**


www.newcommetal.com

JIC Style Hinge Cover

SERIES - NJ4H - NJ4XH

H x W x D

Meets NEMA Type 4



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "YES" / "NO"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Single Door Hinge Cover Streamline

SERIES – NHCSL-4 / NHCSL-4X - Meets NEMA Type 4 & 4X
Steel, Stainless Steel or Aluminum



Construction

(Series NHCSL-4, NHCSL-4X)

NEMA 4 Construction

- 16 or 14 gauge material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, S/S and plated hardware
- Mounting tabs
- Water resistant gasket
- Removable cover quarter-turn latches

Finish

Steel enclosures are painted ANSI-61Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**



www.newcommetal.com

Single Door Hinge Cover Streamline

SERIES - NHCSL-4 - NHCSL-4X

H x W x D

Meets NEMA Type 4 & 4X



SECTION Y-Y

ENC. HEIGHT "H"	MATERIAL	LOCKS
WHEN "H" IS LESS THAN 16"	16 GA.	1
WHEN "H" IS 16" OR GREATER	14 GA.	2

QTY #	BOX H	BOX W	BOX D	SERIES	PANEL
				NHCSL-4	YES
				NHCSL-4X	NO



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "YES" / "NO"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**


www.newcommetal.com

Single Door Hinge Cover

SERIES – NHC-12

Meets NEMA Type 12

Steel



Construction

(Series NHC-12)

NEMA 12 Construction

- 14 gauge material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, plated hardware
- Mounting tabs
- Water resistant gasket
- Padlock Hasp and Staple

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**



www.newcommetal.com

Single Door Hinge Cover


SERIES - NHC-12

H x W x D

Meets NEMA Type 12



SECTION Y-Y



SECTION X-X

"QTY"	"H"	"W"	"D"	SERIES	PANEL
				NHC-12	YES
					NO



Directions for ordering:


1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "YES" / "NO"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Single Door Hinge Cover

SERIES – NHC-4 / NHC-4X Meets NEMA Type 4 & 4X
Steel, Stainless Steel or Aluminum



Construction

(Series NHC-4, NHC-4X)

NEMA 4 Construction

- 14 gauge material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, stainless hardware
- Mounting tabs
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards


Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

Single Door Hinge Cover


SERIES - NHC-4 / NHC-4X

H x W x D

Meets NEMA Type 4 & 4X



SECTION Y-Y



SECTION X-X

"QTY"	"H"	"W"	"D"	SERIES	PANEL
				NHC-4	YES
				NHC-4	NO
				NHC-4X	YES
				NHC-4X	NO



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "YES" / "NO"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

NEW COM METAL PRODUCTS CORP.


www.newcommetal.com

Double Door Hinged Wall Mount

SERIES – N12WDD

Meets NEMA Type 12

Steel, Stainless Steel or Aluminum



Construction

(Series N12WDD)

NEMA 12 Construction

- 12 or 14 gauge material per code
- (1) piece construction, formed and welded
- Flanged cover, 3-point locking handle with provision for padlock
- Mounting tabs
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**



www.newcommetal.com

Double Door Hinged Wall Mount

SERIES - N12WDD

H x W x D

Meets NEMA Type 12



ENC. DIMENSION	"A"
WHEN "W" IS 16" OR MORE	3"
WHEN "W" IS LESS THAN 16"	1-1/4"

"QTY"	"H"	"W"	"D"	SERIES	PANEL
				N12WDD	YES
					NO



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "YES" / "NO"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**


www.newcommetal.com

Double Door Hinged Wall Mount

SERIES – N4WDD / N4XWDD

Steel, Stainless Steel or Aluminum

Meets NEMA Type 4 & 4X



Construction

(Series N4WDD, N4XWDD)

NEMA 4 Construction

- 12 or 14 gauge material per code
- (1) piece construction, formed and welded
- Flanged cover, S/S clamps with provision for padlock
- Mounting tabs
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards


Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

Double Door Hinged Wall Mount

SERIES – N4WDD / N4XWDD

H x W x D

Meets NEMA Type 4 & 4X



ENC. DIMENSION	"A"
WHEN "W" IS 16" OR MORE	3"
WHEN "W" IS LESS THAN 16"	1-1/4"

"QTY"	"H"	"W"	"D"	SERIES	PANEL
				N4WDD	YES
				N4WDD	NO
				N4XWDD	YES
				N4XWDD	NO



Directions for ordering:


1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle "Series" N4WDD / N4XWDD
4. Circle PANEL "YES" / "NO"
5. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Public Works Enclosure

SERIES – N3R - Meets NEMA Type 3R **Aluminum, Galvanized, Steel or Stainless Steel**



Construction

(Series N3R)

NEMA 3R Construction

- 12 GA. Galv., S.S. or 0.125 ALUM. material per code
- Hinge cover with latch and stainless hardware
- Mounting holes provided for simple installation
- 3-point Locking handle with provision for padlock

Finish

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.


Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Public Works Enclosure

SERIES – N3R & N4X - H x W x D - Meets NEMA Type 3R & N4X



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle "Options" details.
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Public Works Enclosure

SERIES – N3R & N4X - Meets NEMA Type 3R & N4X
Aluminum, Galvanized, Steel or Stainless Steel



Construction

(Series N3R & N4X)
NEMA 3R Construction

- 12 gauge or 0.125 aluminum material per code
- Hinge cover with latch and plated hardware
- Mounting holes provided for simple installation
- 3-point Locking handle with provision for padlock

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.
Also special sizes and finishes can be provided from the factory.

Industry Standards


Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Public Works Enclosure

SERIES – N3R & N4X - H x W x D - Meets NEMA Type 3R & N4X



Directions for ordering:

1. Copy or scan page.
2. Fill in details: QTY, "H", "W" & "D"
3. Circle "Option" details
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

NEW COM METAL PRODUCTS CORP.

www.newcommetal.com

Single Door Free Standing

SERIES – N12FS

Meets NEMA Type 12

Steel, Stainless Steel or Aluminum



Construction

(Series N12FS)

NEMA 12 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover with 3-point locking handle
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.


Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

Single Door Free Standing

SERIES - N12FS


H x W x D

Meets NEMA Type 12




**SECTION Y-Y
WITH RELAY-RACK
(OPTIONAL)**

**SECTION Y-Y
WITH SUB-PANEL**




**SECTION X-X
WITH RELAY-RACK
(OPTIONAL)**



**SECTION X-X
WITH SUB-PANEL**

"QTY"	"H"	"W"	"D"	SERIES	CIRCLE ONE
				N12FS	PANEL RACK

ENC. HEIGHT "H"	F	G
WHEN H=72-1/16"	38-1/32"	29-1/8"
WHEN H=90-1/16"	47-1/32"	38-1/8"



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle "Panel" or "Rack"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Single Door Dual Access Free Standing

SERIES – N12FDA

Meets NEMA Type 12

Steel, Stainless Steel or Aluminum



Construction

(Series N12FDA)

NEMA 12 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover with 3-point locking handle
- Lifting “Eye” bolts
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers’ Association.


 **NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Single Door Dual Access Free Standing

SERIES - N12DA
Meets NEMA Type 12

H x W x D



"QTY"	"H"	"W"	"D"	SERIES	CIRCLE ONE
				N12FDA	PANEL RACK

ENC. HEIGHT "H"	F	G
WHEN H=72-1/16"	38-1/32"	29-1/8"
WHEN H=90-1/16"	47-1/32"	38-1/8"



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle "Panel" or "Rack"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Double Door Single Access Free Standing

SERIES – N12FDD

Meets NEMA Type 12

Steel, Stainless Steel or Aluminum



Construction

(Series N12FDD)

NEMA 12 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover with 3-point locking handle
- Lifting “Eye” bolts
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**


www.newcommetal.com

Double Door Single Access Free Standing

SERIES - N12FDD

H x W x D

Meets NEMA Type 12



ENC. HEIGHT "H"	"F"	"G"
WHEN H=72-1/16"	38-1/32"	29-1/8"
WHEN H=90-1/16"	47-1/32"	38-1/8"

"QTY"	"H"	"W"	"D"	SERIES	PANEL
				N12FDD	YES
					NO



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "Yes" or "No"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Double Door Dual Access Free Standing

SERIES – N12FDDDA

Meets NEMA Type 12

Steel, Stainless Steel or Aluminum



Construction

(Series N12FDDDA)

NEMA 12 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover with 3-point locking handle
- Lifting “Eye” bolts
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**



www.newcommetal.com

Double Door Dual Access Free Standing

SERIES - N12FDDDA

H x W x D

Meets NEMA Type 12



"QTY"	"H"	"W"	"D"	SERIES	CIRCLE ONE
				N12FDDDA	PANEL RACK

ENC. HEIGHT "H"	F	G
WHEN H=72-1/16"	38-1/32"	29-1/8"
WHEN H=90-1/16"	47-1/32"	38-1/8"



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle "Panel" or "Rack"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Double Door Single Access Floor Stands

SERIES – N12DD

Meets NEMA Type 12

Steel, Stainless Steel or Aluminum



Construction

(Series N12DD)

NEMA 12 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover with 3-point locking handle
- Lifting “Eye” bolts
- Mounting Stands
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**


www.newcommetal.com

Double Door Single Access Floor Stands

SERIES - N12DD

H x W x D

Meets NEMA Type 12



"QTY"	"H"	"W"	"D"	SERIES	PANEL
				N12DD	YES
					NO

ENC. HEIGHT "H"	F	G
WHEN H=72-1/16"	38-1/32"	29-1/8"
WHEN H=90-1/16"	47-1/32"	38-1/8"



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "Yes" or "No"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Single Door Free Standing

SERIES – N4FS / N4XFS
Steel, Stainless Steel or Aluminum

Meets NEMA Type 4 & 4X



Construction

(Series N4FS, N4XFS)

NEMA 4 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, plated & S/S hardware
- Lifting “Eye” bolts
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**


www.newcommetal.com

Single Door Free Standing

SERIES – N4FS / N4XFS


H x W x D

Meets NEMA Type 4 & 4X




SECTION Y-Y
WITH RELAY-RACK
(OPTIONAL)

SECTION Y-Y
WITH SUB-PANEL



SECTION X-X
WITH RELAY-RACK
(OPTIONAL)



SECTION X-X
WITH SUB-PANEL

ENC. HEIGHT "H"	F	G
WHEN H=72-1/16"	38-1/32"	29-1/8"
WHEN H=90-1/16"	47-1/32"	38-1/8"

"QTY"	"H"	"W"	"D"	SERIES	CIRCLE ONE
				N4FS	PANEL
				N4FS	RACK
				N4XFS	PANEL
				N4XFS	RACK



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "Yes" or "No"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Double Door Free Standing

SERIES – N4FDD / N4XFDD

Steel, Stainless Steel or Aluminum

Meets NEMA Type 4 & 4X



Construction

(Series N4FDD, N4XFDD)

NEMA 4 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, plated & S/S hardware
- Lifting “Eye” bolts
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**


www.newcommetal.com

Double Door Free Standing

SERIES – N4FDD / N4XFDD

H x W x D

Meets NEMA Type 4 & 4X



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle "Panel" or "Rack"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Single Door Dual Access Free Standing

SERIES – N4FDA / N4XFDA
Steel, Stainless Steel or Aluminum

Meets NEMA Type 4 & 4X



Construction

(Series N4FDA, N4XFDA)

NEMA 4 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, plated & S/S hardware
- Lifting “Eye” bolts
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Double Door Dual Access Free Standing

SERIES – N4FDDDA / N4XFDDDA Meets NEMA Type 4 & 4X
Steel, Stainless Steel or Aluminum



Construction

(Series N4FDDDA, N4XFDDDA)

NEMA 4 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, plated & S/S hardware
- Lifting “Eye” bolts
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**


www.newcommetal.com

Double Door Dual Access Free Standing

SERIES – N4FDDDA / N4XFDDDA

H x W x D

Meets NEMA Type 4 & 4X



"QTY"	"H"	"W"	"D"	SERIES	CIRCLE ONE
				N4FDDDA	PANEL
				N4XFDDDA	RACK

ENC. HEIGHT "H"	G
WHEN H=72-1/16"	29-1/8"
WHEN H=90-1/16"	38-1/8"



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle "N4FDDDA" or "N4XFDDDA"
4. Circle "Panel" or "Rack"
5. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com


**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Double Door Single Access Floor Stands

SERIES – N4DD / N4XDD
Steel, Stainless Steel or Aluminum

Meets NEMA Type 4 & 4X



Construction

(Series N4DD, N4XDD)

NEMA 4 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, stainless hardware
- Mounting Stands
- Lifting “Eye” bolts
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**


www.newcommetal.com

Double Door Single Access Floor Stands

SERIES - N4DD / N4XDD

H x W x D

Meets NEMA Type 4 & 4X



"QTY"	"H"	"W"	"D"	SERIES	CIRCLE ONE
				N4DD	PANEL
				N4DD	RACK
				N4XDD	PANEL
				N4XDD	RACK

ENC. HEIGHT "H"	F	G
WHEN H=72-1/16"	38-1/32"	29-1/8"
WHEN H=90-1/16"	47-1/32"	38-1/8"



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle "N4DD" or "N4XDD"
4. Circle "Panel" or "Rack"
5. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com


ACCESSORIES

SERIES - NLK

Pad Lock Type



1-point type



3-point type


- NEMA Type 12 one-point type. Heavy duty with provision for pad lock.
- NEMA Type 4 & 4X three-point type with rods. Heavy duty with provision for pad lock.
- Handles are drop forged 3-point latch.
- Finish is zinc plated or stainless steel.
- For enclosures over 24" roller topped rods and guides should be ordered.
- Mounting hardware supplied.

SERIES - NLK

Series 1000 Type



1-point type



3-point type

- Furnished for one, two or three point locking, right or left hand doors, with 90 or 180 degree rotation. (90 degree RH regularly furnished).
- 90 degree RH handles rotate counter clockwise from 12 to 9 o'clock.
- 90 degree LH handles rotate clockwise from 12 to 3 o'clock.
- 180 degree handles are reversible RH or LH doors.
- Key is removable in locked or unlocked position for either 90 or 180 degree handles.

ACCESSORIES

SERIES – NEMA Type 1

Door Holder Kits

SERIES - THS



SERIES - DLK



SERIES - FDK




- These handles & lock are used on series NEMA TYPE 1 enclosures & are not oil, water or dust impervious.
- Series THS, DLK & FDK are one-point & lock handle kits

Catalogue #	Description
Series THS	One-Point Tee-Handle
Series DLK	One Point-D lock with 2 keys
Series FDK	One-Point latch with screw driver or coin operation (standard)
Series NCNR	One-Point flush mount open with screw driver or coin.
Series NCMB	One-Point flush mount open with special key. 1 included.

SERIES – DS

Drip Shield Kits - Manufactured from Steel, Galvanized, Stainless Steel or Aluminum




 **NEWCOM METAL PRODUCTS CORP.**

www.newcommetal.com


ACCESSORIES

SERIES - WK

Window Kit



- For use on NEMA Type 12 or 4X enclosures.
- Can be installed in the field.
- Frame is formed and welded.
- Acrylic window is 1/4" thick.
- Neoprene gasketed to form a water tight seal
- Interior retaining strips.
- Mounting hardware supplied.
- Manufactured from Steel, Galvanized, Stainless Steel or Aluminum.



"H"	"W"	SERIES
		WK

 www.newcommetal.com
NEWCOM METAL PRODUCTS CORP.

Facilities List

Engineering

Merry Mechanization SMP/IS ver. 29.063

CAD KEY 99

Preferred file format: *.prt, *.dwg, *.dxf or *.igs

Punching

Tailift HP1500 40-Station CNC Punch

Strippit 30/30 Single Station Punch (2)

Boschert Eagle PN 4- 6" Corner Notcher

Machine Shop

ENCO Drill Press 0-1/2" Chuck

Powermatic Drill Press – 10" Depth

(2) Bridgeport Manual Milling Machines

1/2" Capacity Adjustable Depth Tapping Systems

Welding

255 amp Power MIG welder (2)

ESAB Migmaster 280 Pro

350 amp Power MIG welder (2)

275 amp Precision TIG welder

(2) 375 amp Precision TIG welder

30KVa Pneumatic Press Resistance Welder

100KVa Pneumatic Press Resistance Welder

150KVa Pneumatic Press Resistance Welder

Oxygen/Acetylene Cutting

Forming

Amada 10' - 130 Ton Brake w/8 Axis-Gauging

10' 90-Ton Cincinnati Hydraulic Brake w/Auto-Gauging

6' 44-Ton CMF Hydraulic Brake with Auto-Gauging

4' x 3-inch Roller

Cutting

Sever-All Cut-off Abrasive Saw 12" Wheel

Do-All Vertical Contour Saw 16" Depth

Kalamazoo Semi-Auto Miter Saw 16"



Inspection & Measuring

24" Mitutoyo Height Gauge

48"x36"x6" Surface Plate (1)

24"x36"x4" Surface Plate (1)

6"x4-1/2" Step Angle block (2)

10"x8"x5-1/2" Steel Knee block (2)

1" – 4" Vernier Micrometers

6" - 12" Digital Calipers

Vermont Gage Hole Gauges 0.061" – 0.500"

Starrett Vernier Bevel Protractors

Shearing

10' JMT Power Shear 1/4" steel plate max.

3' Pexto Kick Shear, 16 gauge max.

Finishing

36" Wide Belt Time Saver Finishing System

8' x 36" Pedestal Sander

10' x 6" Wide Belt Stroke Sander

4" Capacity Radial Surface Grinder

Various Belt & Circular Hand Grinders

Tumbler and Deburr

Paint Shop

Spray Paint Booth 12' x 12' x 12' Positive Air

Spray Paint Booth 7' x 8' x 9' Positive Air

Binks Pressure Pot Large Capacity Spray System

Silkscreen Process in-house

Electro-Steam Power Steam Generator

Mobile Custom Hanging Rack System

Uni-Ram manual solvent recycler

Assembly

PEM-Serter 2000 Hardware Press (3)

Solid Rivet Pressing Tooling

Automatic Tapping and Drilling Equipment

 **NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

29 Teed Dr. Randolph, MA 02368 - Tel. 781-767-7520 Fax: 781-767-7519